

Appln. No. 09/691,968  
Amendment dated February 28, 2006  
Reply to Office Action of November 28, 2005  
Docket No. 6169-137

IBM Docket No. BOC9-1999-0079

**Amendments to Claims:**

This listing of claims will replace all prior versions and listings of claims in the instant application:

**Listing of Claims:**

1. (Currently Amended) A method for distributing realtime updates to active application components in an active client position, comprising:
  - establishing a first communications connection between a platform managing the active application components and a configuration client, said platform and said configuration client both being disposed in a client position;
  - establishing a second communications connection between said configuration client and a configuration server, said configuration client submitting at least one query to the configuration server via the second communications connection;
  - delivering updates to said configuration client over said second communications connection in response to said at least one query, wherein each update corresponds to at least one particular application component;
  - notifying said platform that updates are available;
  - responsive to said notification, terminating execution of said particular active application components, wherein said terminating comprises terminating instances of each said identified application component before said instances self-terminate and removing interdependencies between said terminated application component instances and other application components; and
  - delivering each said update over said first communications connection to said platform, applying each said update to said at least one corresponding application component, and re-executing each said updated application component.

Appln. No. 09/691,968  
Amendment dated February 28, 2006  
Reply to Office Action of November 28, 2005  
Docket No. 6169-137

IBM Docket No. BOC9-1999-0079

2. (Currently Amended) The method of claim 1, wherein said terminating step further comprises[[:]] identifying said at least one particular corresponding application component to be updated based on said notification[[:]]  
~~terminating instances of each said identified application component before said instances self-terminate; and~~  
~~removing interdependencies between said terminated application component instances and other application components.~~
3. (Original) The method according to claim 1, wherein said re-executing step comprises:  
instantiating each said updated application component; and  
initializing each said updated application component instance.
4. (Original) The method according to claim 3, wherein said initializing step comprises:  
communicating configuration information to said configuration client; and  
reinitializing state information internal to each said updated application component based on said configuration information.
5. (Original) The method according to claim 3, further comprising requesting from said configuration client update notifications, said update notifications notifying said platform of application component updates as said updates become available in said configuration server.
6. (Original) The method according to claim 1, further comprising the step of transmitting update notifications over said second communications connection to said

Appln. No. 09/691,968  
Amendment dated February 28, 2006  
Reply to Office Action of November 28, 2005  
Docket No. 6169-137

IBM Docket No. BOC9-1999-0079

configuration client, said update notifications notifying said configuration client of application component updates as said updates become available in said configuration server.

7. (Previously Presented) The method according to claim 6, wherein said step of transmitting update notifications over said second connection, comprises the steps of:  
packetizing said update notifications within a datagram; and  
transmitting said datagram to said configuration client.
8. (Original) The method according to claim 1, wherein said configuration server is an LDAP server.
9. (Original) The method according to claim 8, further comprising storing said application component updates in an LDAP-based database in said LDAP server.
10. (Previously Presented) A system for updating active client positions comprising:  
a platform for managing active application components;  
a configuration server for storing updates; and  
a configuration client for receiving client-specific updates from said configuration server and communicating said received updates to said platform, said configuration client and said platform disposed in a client position separate from the configuration client;  
said platform receiving said updates from said configuration client in response to at least one query from said configuration client to said configuration server, terminating selected ones of said active application components before said active application

Appln. No. 09/691,968  
Amendment dated February 28, 2006  
Reply to Office Action of November 28, 2005  
Docket No. 6169-137

IBM Docket No. BOC9-1999-0079

components self-terminate, applying said received updates to said terminated application components, and reloading said updated application components.

11. (Previously Presented) The system of claim 10, further comprising:  
a client, within which said configuration client is disposed, wherein application components installed in said client are determined as said client undergoes bootstrap by querying said configuration server .

12. (Cancelled)

13. (Original) The system of claim 10, wherein said configuration client further comprises:

a notifier object and a listener interface,

wherein said active application components are configured to receive update notifications from said configuration client through said listener interface.

14. (Original) The system of claim 10, wherein said configuration server further comprises:

a notifier object and a listener interface,

wherein said configuration client is configured to receive update notifications from said configuration server through said listener interface.

15. (Currently Amended) A machine readable storage, having stored thereon a computer program having a plurality of code sections for distributing realtime updates to active application components in an active client position, said code sections executable by a machine for causing the machine to perform the steps of:

Appln. No. 09/691,968  
Amendment dated February 28, 2006  
Reply to Office Action of November 28, 2005  
Docket No. 6169-137

IBM Docket No. BOC9-1999-0079

establishing a first communications connection between a platform managing the active application components and a configuration client, said platform and said configuration client both being disposed in a client position;

establishing a second communications connection between said configuration client and a configuration server, said configuration client submitting at least one query to the configuration server via the second communications connection;

delivering updates to said configuration client over said second communications connection in response to said at least one query, wherein each update corresponds to at least one particular application component;

notifying said platform that updates are available;

responsive to said notification, terminating execution of said particular active application components, wherein said terminating comprises terminating instances of each said identified application component before said instances self-terminate and removing interdependencies between said terminated application component instances and other application components; and

delivering each said update over said first communications connection to said platform, applying each said update to said at least one corresponding application component, and re-executing each said updated application component.

16. (Currently Amended) The machine readable storage of claim 15, wherein said terminating step further comprises[[:]] identifying said at least one particular corresponding application component to be updated based on said notification[[:]]

~~terminating instances of each said identified application component before said instances self-terminate; and~~

~~removing interdependencies between said terminated application component instances and other application components.~~

Appln. No. 09/691,968  
Amendment dated February 28, 2006  
Reply to Office Action of November 28, 2005  
Docket No. 6169-137

IBM Docket No. BOC9-1999-0079

17. (Original) The machine readable storage of claim 15, wherein said re-executing step comprises:
- instantiating each said updated application component; and
  - initializing each said updated application component instance.
18. (Original) The machine readable storage of claim 17, wherein said initializing step comprises:
- communicating configuration information to said configuration client; and
  - reinitializing state information internal to each said updated application component based on said configuration information.
19. (Original) The machine readable storage of claim 17, further comprising requesting from said configuration client update notifications, said update notifications notifying said platform of application component updates as said updates become available in said configuration server.
20. (Original) The machine readable storage of claim 15, further comprising the step of transmitting update notifications over said second communications connection to said configuration client, said update notifications notifying said configuration client of application component updates as said updates become available in said configuration server.
21. (Previously Presented) The machine readable storage of claim 20, wherein said step of transmitting update notifications over said second connection, comprises the steps of:
- packetizing said update notifications within a datagram; and
  - transmitting said datagram to said configuration client.

Appln. No. 09/691,968  
Amendment dated February 28, 2006  
Reply to Office Action of November 28, 2005  
Docket No. 6169-137

IBM Docket No. BOC9-1999-0079

22. (Original) The machine readable storage of claim 15, wherein said configuration server is an LDAP server.

23. (Original) The machine readable storage of claim 22, further comprising storing said application component updates in an LDAP-based database in said LDAP server.

24. (Currently Amended) A method for distributing realtime updates to active application components executing in an active client position, comprising:

receiving updates to the active application components from a communicatively linked configuration client in response to at least one query from the active client position, each update corresponding to at least one particular application component;

terminating execution of each particular active application component having a received corresponding update, wherein said terminating comprises terminating instances of each particular active application component having a received corresponding update; and removing interdependencies between said terminated application component instances and other application components;

applying said received updates to said corresponding application components; and, re-executing said updated application components.

25. (Cancelled)

26. (Original) The method according to claim 24, wherein said re-executing step comprises:

instantiating each updated application component; and  
initializing each updated application component instance.

Appln. No. 09/691,968  
Amendment dated February 28, 2006  
Reply to Office Action of November 28, 2005  
Docket No. 6169-137

IBM Docket No. BOC9-1999-0079

27. (Original) The method according to claim 24, further comprising subscribing to update notifications from said configuration client, said update notifications notifying the active client position of application component updates as said updates become available.

28. (Currently Amended) A machine readable storage, having stored thereon a computer program having a plurality of code sections for distributing realtime updates to active application components executing in an active client position, said code sections executable by a machine for causing the machine to perform the steps of:

receiving updates to the active application components from a communicatively linked configuration client in response to at least one query from the active client position, each update corresponding to at least one particular application component;

terminating execution of each particular active application component having a received corresponding update, wherein said terminating comprises terminating instances of each particular active application component having a received corresponding update; and removing interdependencies between said terminated application component instances and other application components;

applying said received updates to said corresponding application components; and, re-executing said updated application components.

29. (Cancelled)

30. (Original) The machine readable storage of claim 28, wherein said re-executing step comprises:

instantiating each updated application component; and  
initializing each updated application component instance.



Appln. No. 09/691,968  
Amendment dated February 28, 2006  
Reply to Office Action of November 28, 2005  
Docket No. 6169-137

IBM Docket No. BOC9-1999-0079

31. (Original) The machine readable storage of claim 28, further comprising subscribing to update notifications from said configuration client, said update notifications notifying the active client position of application component updates as said updates become available.

32. (Currently Amended) A method for distributing realtime updates to clients comprising the steps of:

establishing a communications connection between a client and a configuration server as the client undergoes bootstrap;

querying the configuration server to identify a plurality of application components that are to be installed in the client;

said client installing and executing said identified application components;

updating at least one application component within the configuration server;

conveying a notification that the application component is updated to said client;

said client determining whether the application component is executing; [[and]]

~~when said application component is not executing;~~

if the application component is executing, identifying at least one executing process that utilizes said application component and terminating execution of the identified process before the process self-terminates; and

receiving said updated application component from said configuration server and replacing the application component with said updated application component.

33. (Currently Amended) The method of claim 32, further comprising executing said identified process utilizing the updated application component instead of said application component ~~when said application component is currently executing in said client, performing the steps of:~~

~~identifying at least one executing process that utilizes said application component;~~

Appln. No. 09/691,968  
Amendment dated February 28, 2006  
Reply to Office Action of November 28, 2005  
Docket No. 6169-137

IBM Docket No. BOC9-1999-0079

~~terminating execution of said identified process before said process self~~  
~~terminates; and~~  
~~executing said identified process utilizing the updated application component~~  
~~instead of said application component.~~